



**Cedas**  
experience the change

# **CEDAS SH**

Open Platform Lifts



**Cedas**  
experience the change

# SH

## Open Platform Lifts

**CEDAS SH** is a Open Platform Lift, also known as Wheelchair Lift, which provides internal or external vertical travel up to 2.9 meters. Our Open Platform Lift can accommodate changes in level from 600 mm up to 2900 mm in commercial and domestic environments and is appropriate alternative solution to a fully enclosed platform lift.

**CEDAS SH** is specifically designed for applications with little or no alterations to existing buildings.

The open type design offers an aesthetically pleasing solution with brushed stainless steel finish as option. The lift provides a safe and easy way to gain access to a property where stairs would otherwise prevent wheelchair access.

It is designed to give customers choice and flexibility.

**CEDAS SH** is a space saving and cost effective way to provide access for everyone to your home or workplace.

*All our lifts are supplied with a 12-month warranty, as standard, and we offer a range of maintenance and service options, which can be tailored to suit your specific requirements.*



**Cedas**  
experience the change

**SH**  
Open Platform Lifts

## Specifications

User Group	People of Determination
Suitability	For internal or external use
Travel	From 600 mm up to 3000 mm
Number of stops	2
Maximum capacity	300 kg
Platform size	900 x 1500 mm & 1500 x 1500
External dimensions	1500 x 1600 mm & 1500 x 1800
Gate	950 x 1000 mm (Standard)
Cabin height	1000 mm
Drive type	Belt/ Chains
Power	230 V, 1 phase, 25 A 380 V, 3 phase, 25 A, 50 Hz
Lighting	Controls illuminated
Safety edge	Safety edge-under platform proximity sensors
Handrail	Integrated to lift cabin (on both sides)
Machine room	Integral to guide rails
Floor	Anti slip rubber (Anti slip aluminum checkered platform)
Finish	RAL 7043 (Dark Grey)

## Options

### Platform

900 x 1500 mm - Through access  
1500 x 1500 mm - 90 degree access

### Gate

Landing gate door at top level  
Cabin gate door at lower floor

### Control

Configurable control side  
Dual control on the platform  
On-board alarm  
Braille on the control

### Safety

Automatic emergency lowering device for travel above 1000 mm

### Finish

Painted in any RAL color  
Brushed Stainless Steel (Optional)